



THE UNIVERSITY *of* EDINBURGH

## Edinburgh Research Explorer

### Resolving the opal paradox in the glacial Eastern Equatorial Pacific: Implications for the biological pump of Carbon

**Citation for published version:**

Pichevin, LE, Reynold, BC, Ganeshram, RS & Cacho, I 2008, 'Resolving the opal paradox in the glacial Eastern Equatorial Pacific: Implications for the biological pump of Carbon', *Geochimica et Cosmochimica Acta*, vol. 72, no. 12, pp. A746-A746.

**Link:**

[Link to publication record in Edinburgh Research Explorer](#)

**Document Version:**

Peer reviewed version

**Published In:**

Geochimica et Cosmochimica Acta

**Publisher Rights Statement:**

This is the author's version of a work that was accepted for publication. A definitive version was subsequently published in *Geochimica et Cosmochimica Acta* (2008).

**General rights**

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

**Take down policy**

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact [openaccess@ed.ac.uk](mailto:openaccess@ed.ac.uk) providing details, and we will remove access to the work immediately and investigate your claim.



This is the author's final draft or 'post-print' version. The final version was published as part of Goldschmidt Conference Abstracts in *Geochimica et Cosmochimica Acta*. Copyright of Elsevier (2008)

Cite As: Pichevin, LE, Reynold, BC, Ganeshram, RS & Cacho, I 2008, 'Resolving the opal paradox in the glacial Eastern Equatorial Pacific: Implications for the biological pump of Carbon' *Geochimica et Cosmochimica Acta*, vol 72, no. 12, pp. A746-A746.

## **Resolving the Opal Paradox in the Glacial Eastern Equatorial Pacific: Implications for the Biological Pump of Carbon**

Pichevin L. E.<sup>1</sup>, Reynolds B. C.<sup>2</sup>, Ganeshram R. S.<sup>1</sup>, Cacho I.<sup>3</sup>

1. School of Geosciences, Grant Institute, University of Edinburgh, West Main Road, EH10 3JW, Edinburgh, UK, [laetitiapichevin@ed.ac.uk](mailto:laetitiapichevin@ed.ac.uk), Tel +44 131 650 8547, Fax +44 131 668 3184

2. Institute Isotopengeologie/Mineral.Rohstoffe, Clausiusstrasse 25, 8092 Zürich, Switzerland

3. GRC Geociències Marines, Facultat de Geologia, Universitat de Barcelona C/ Martí Franques s/n 08028 Barcelona, Spain

The modern Eastern Equatorial Pacific (EEP) is a major oceanic source of carbon to the atmosphere and could have potentially played a key role in lowering CO<sub>2</sub> levels during glacial times. However, available records of nutrient supply, carbon export and opal accumulation from the EEP show contradictory trends over the last glacial cycles and hence the efficiency of the biological pump in the area and its role in glacial CO<sub>2</sub> drawdown remain unclear. Here we report new silicon isotope records and propose a new model which reconciles existing records of glacial-interglacial variability in upwelling intensity, nutrient availability, carbon productivity and opal accumulation from the EEP. Specifically, we suggest that the paradoxically low opal accumulation rates in the glacial EEP is a result of the alleviation of iron limitation during the dustier glacial periods and the consequent decrease in Si:C uptake ratio by diatoms, and does not reflect a decline in rain rate ratio and biological CO<sub>2</sub> pump as suggested previously. Therefore, we argue that the EEP could have been an important contributor for the reduced atmospheric P<sub>CO2</sub> during glacial periods.